


# OP-Flex™ : Tapered Yankauer

## Suction handles and sets

**Intended use:**

OP-Flex™ handles and sets are designed for intra operative removal of blood and fluids during open surgery. Must be attached to a jar/canister via a tube before connecting to a vacuum source of max. 400 mmHg. The tapered Yankauer is designed with a narrower tip (“pinpoint”), used when space is limited and to increase accuracy of suctioning. The product is intended for single use only.



**List of product range:**

	REF*	Connecting tube Shore A 74		Inner/outer diameter of suction mm	Suction handle, length mm	Vacuum control	Number of relieving eyes	CH/FG (handle)	
		Length mm	CH/FG						
OP-Flex™ tapered Yankauer, single bend	3407418x	2,100	24	4.6 / 6.5	155	Yes	0	12	Small
	3407618x	3,500	24	4.6 / 6.5	155	Yes	0	12	Small
	3406318x	2,100	24	4.6 / 6.5	155	No	4	12	Small
	3406518x	3,500	24	4.6 / 6.5	155	No	4	12	Small
	3303818x	-	-	4.6 / 6.5	155	Yes	0	12	Small
	3303218x	-	-	4.6 / 6.5	155	Yes	4	12	Small

\* Here noted as x, reference codes contain an additional digit (1-5) representing a language code.  
Products may not be available in all countries. Please contact your regional ConvaTec sales representative for further information.

**Material specifications:**

**Contains latex?** . . . . . No  
**Contains DEHP?** . . . . . (with connecting tube) Yes  
 (without connecting tube) No  
**Handle & tip** . . . . . Acrylonitrile-butadiene-styrene resin,  
 Polyvinyl chloride  
**Tubing** . . . . . Polyvinyl chloride  
**Connectors** . . . . . Polyvinyl chloride

**Certification:**

**CE-marking?** . . . . . Yes (CE 0086)  
**Product classification** . . . . . Class IIA (EU)  
**Quality system certified to** . . . . . ISO 13485  
**Global Medical Device Nomenclature (GMDN)** 15917/36778

**Sterilisation:**

**Sterile?** . . . . . Yes  
**Sterilized by** . . . . . Ethylene oxide  
**Shelf life** . . . . . 5 years

# OP-Flex™ : Tapered Yankauer

## Suction handles and sets

### Packaging:

REF*	Shelf box		Shipping carton				MOQ, pcs.
	Qty., pcs	Dimensions, mm	Qty., pcs	Dimensions, mm	Gross Wt., kg	Volume, m <sup>3</sup>	
3303218x	50	294 x 125 x 360	300	391 x 304 x 743	8.80	0.092	600
3303818x	50	294 x 125 x 360	300	391 x 304 x 743	8.80	0.092	600
3406318x	*	*	50	392 x 306 x 375	7.40	0.045	600
3406518x	*	*	50	392 x 306 x 375	8.50	0.045	600
3407418x	*	*	50	392 x 306 x 375	7.40	0.045	150
3407618x	*	*	50	392 x 306 x 375	8.50	0.045	150

\* = Single packed - no shelf box

\* Here noted as x, reference codes contain an additional digit (1-5) representing a language code.

Products may not be available in all countries. Please contact your regional ConvaTec sales representative for further information.

### Storage and handling:



*With reservations for misprints and alterations in product specifications. Printed version not controlled.*

Manufacturer: **ConvaTec Limited**  
First Avenue  
Address: Deeside Industrial Park  
Deeside, Flintshire, CH5 2NU, UK

For further information on these products, please contact your local ConvaTec sales representative.

TM indicates a trademark of Unomedical a/s.  
The ConvaTec logo is a trademark of ConvaTec Inc.

